



中德钢材牌号对照

德国牌号	中国牌号
1.0035	Q195
1.0038	Q235
1.0038	Q235qC
1.0044	Q275
1.0045	Q345qC
1.0114	Q235
1.0117	Q235/qD
1.0143	Q275
1.0145	Q275
1.0213	ML08A1
1.0214	10
	ML10A1
	ML10
1.0234	15
	ML15A1
	ML15
1.0303	ML04A1
1.0304	C8D2
1.031	C10D2
1.0311	C12D2
1.0312	05F
1.0319	S210 (1类)
1.0347	08*
1.0402	20/Mn
1.0406	25
1.0411	20
	ML20A1
	ML20
1.0413	C15D2
1.0414	C20D2
1.0415	25Mn
	C26D2
1.0416	C18D2
1.0434	ML18
1.0438	HRB500
1.0459	S245 (1类) / (2类)
1.0466	HRB500
1.0473	20Mn2/A/E
1.0483	S290 (1类) / (2类)
1.0499	S360 (1类) / (2类)
1.0501	35/Mn
1.0503	45/Mn
1.0511	40/Mn
1.0516	C36D2
	C38D2

德国牌号	中国牌号
1.4006	1Cr12/13
	1Cr12Mo
1.4016	ML1Cr17
	1Cr17
1.4021	2Cr13
1.4024	1Cr13Mo
1.4028	3Cr13
1.4031	4Cr13
1.4057	1Cr17Ni2
1.4105	Y1Cr17
1.4109	7Cr17
1.4113	1Cr17Mo
1.4125	11Cr17
	9Cr18Mo

德国牌号	中国牌号
1.0517	C46D2
	C48D2
1.0518	C56D2
1.0528	30/Mn
1.0535	55
1.0541	50
	C42D2
1.0546	Q345/qE
1.0553	Q345
1.0577	Q345/qD
1.0586	C50D2
1.0588	C52D2
1.0596	Q345
1.0601	60/Mn
1.0609	C58D2
1.0611	C62D2
1.0612	C66D2/B
	65
1.0613	C68D2
1.0614	75
	C76D2
1.0615	C70D2
	70
1.0616	85
	C86D2
1.0617	C72D2
1.0618	C92D2
1.0622	80
	C80D2
1.0626	C82D2
1.0628	C88D2
1.0715	Y15
1.0718	T15Pb
1.0722	Y12Pb
1.0725	Y20
1.0726	Y12/30/35
1.1147	ML18Mn
	ML22Mn
1.1152	ML25
1.1172	ML35/Mn
1.1191	45H
1.1192	ML45
1.1201	45H
1.4002	0Cr13A1

德国牌号	中国牌号
1.4828	2Cr21Ni2N
	1Cr20Ni14Si2
1.4833	2Cr23Ni13
	0Cr23Ni13
1.4841	2Cr25Ni20
1.4845	1Cr25Ni20Si2
1.4864	1Cr16Ni35
1.4871	5Cr21Mn9Ni4N
1.4878	0Cr18Ni10Ti
1.5026	55Si2Mn
1.5502	ML20B
1.5514	ML35B
1.5515	40B/A/E
1.5525	ML20MnB



1.4301	0Cr18Ni9 弹簧用0Cr19Ni10
1.4303	1Cr18Ni12
1.4305	Y1Cr18Ni9
1.4306	00Cr19Ni10
1.4307	1Cr18Ni9
1.4311	00Cr18Ni10N
1.4315	0Cr19Ni9N
1.4372	1Cr17Mn6Ni5N
1.4373	1Cr18Mn8Ni5N
1.4401	0Cr17Ni12Mo2 弹簧用0Cr17Ni12Mo2
1.4406	0Cr17Ni12Mo2N
1.4429	00Cr17Ni13Mo2N
1.4435	00Cr17Ni14Mo2 0Cr19Ni13Mo3
1.4436	0Cr19Ni13Mo3
1.4438	00Cr19Ni13Mo3
1.4512	0Cr11Ti
1.4521	00Cr18Mo2
1.4541	0Cr18Ni10Ti 1Cr18Ni9Ti
1.4542	0Cr17Ni4Cu4Nb
1.4567	0Cr18Ni9Cu3
1.4568	0Cr17Ni7Al 弹簧用0Cr17Ni8Al
1.4571	1Cr18Ni12Mo2Ti 0Cr18Ni12Mo2Ti 0Cr18Ni12Mo3Ti
1.4718	4Cr9Si2

1.5532	40MnBH
1.5538	40MnB/A/E ML35MnB
1.5752	12CrNi3/A/E 20CrNi3/A/E 20Cr2Ni4/A/E 18Cr2Ni4W/A/E
1.5805	12CrNi2/A/E
1.6511	40CrNiMo/A/E 45CrNiMoV/A/E
1.6523	20CrNiMo/A/E 20CrNiMoH
1.6563	ML40CrNiMoA
1.6571	20CrNi2MoH
1.7016	15Cr/A/E 20Cr/A/E/H 20Cr1H ML20Cr
1.7033	35Cr/A/E
1.7034	ML37Cr ML38CrA
1.7035	40Cr/A/E 40CrMn/A/E 40/45CrH ML40Cr
1.7077	ML37CrB
1.7102	60Si2CrA 55CrSiA
1.7108	60Si2Mn/A

德国牌号	中国牌号
1.7131	15CrMn/A/E 16CrMnH
1.7147	20CrMn/A/E/H
1.7176	55CrMnA
1.7177	60CrMnA
1.7218	30CrMoAE ML30CrMo
1.7225	42CrMo/A/E 40CrMnMoAE 42CrMoH ML42CrMo/A
1.7241	60CrMnMoA
1.7243	15CrMo/A/E 20CrMo/A/E/H ML20CrMoA
1.7333	22CrMoH
1.8152	60Si2CrVA
1.8159	50CrV/A/E
1.8836	Q420/qC/qD/qE
1.8838	Q460/NH
1.8903	Q460/NH
1.8904	Q550
1.8909	Q500
1.8912	Q420
1.8912	Q420/qC/qD/qE
1.8914	Q620
1.8924	Q500
1.8926	Q550
1.8927	Q620
1.8928	Q690
1.8931	Q690
1.8945	Q345GNH/L/J/LJ Q355NH

德国牌号	中国牌号
1.0050*	Q295NH Q295GNHJ
1.0060*	Q345
1.0300*	C5D2
1.0330*	08F/10F 08*/10 08A1
1.0530*	C32D2
1.0540*	50Mn
1.0610*	C60D2
1.0620*	C78D2
1.0760*	Y40Mn
1.1170*	30Mn2/A/E
1.4000*	1Cr12 0Cr13 00Cr12
1.4310*	1Cr18Ni9Si3
1.4550*	0Cr18Ni11Nb 0Cr18Ni11N6
1.5510*	ML28B
1.5520*	ML15MnB
1.5810*	20CrNi/A/E
1.7030*	30Cr/A/E
1.7160*	15CrMnBH 17CrMnBH
1.7220*	35CrMo/A/E 35CrMoV/A/E ML35CrMo/A
1.7320*	20CrMoH

1.8946	Q355NH
	Q345GNHLJ
	Q345GNHJ
1.8958	Q235NH
1.8961	Q235NH
	Q245NHJ
1.8984	Q500
1.8986	Q550
1.8987	Q620
1.8988	Q690
4.4731	4Cr10Si2Mo
1.0045	Q345
1.0050*	Q295

